

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	attribute with spool\$3 with despool\$3 with wait\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2008/08/14 15:19
L2	111	attribute and spool\$3 and despool\$3 and wait\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2008/08/14 15:19
L3	0	attribute same spool\$3 same despool\$3 same wait\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2008/08/14 15:19
L4	4267	(queue\$4 or spool\$4) with print\$3 with job	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2008/08/14 15:20
L5	541	L4.clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2008/08/14 15:20
L6	285	read\$3 with writ\$4 with (memory or storage or database) with (concurrent\$3 or PARALLEL or simultaneous\$3) WITH print\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2008/08/14 15:20
L7	24	L6.clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2008/08/14 15:20
L8	13765	increas\$3 adj12 (speed or throughput) with print\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2008/08/14 15:20

L9	196	L8.clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2008/08/14 15:20
L10	7	spool\$3 with despool\$3 with (concurrent\$3 or PARALLEL or simultaneous\$3) WITH print\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2008/08/14 15:20
L11	0	L10.clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2008/08/14 15:20
L12	298	L4 and (memory or storage or database) with (concurrent\$3 or PARALLEL or simultaneous\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2008/08/14 15:20
L13	325	read\$3 with writ\$4 with (memory or storage or database or disk or (hard adj drive)) with (concurrent\$3 or PARALLEL or simultaneous\$3) WITH print\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2008/08/14 15:20
L14	28	L13.clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2008/08/14 15:20
L15	3	suspend\$3 with read \$3 with print\$3 with (memory or stor\$4 or disk or (hard adj drive)) with (condition or situation or error or diagnostic)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2008/08/14 15:21
L16	0	L15.clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2008/08/14 15:21

L17	370	read\$3 with writ\$4 with (memory or storage or buffer or database or disk or (hard adj drive)) with (concurrent\$3 or PARALLEL or simultaneous\$3) WITH print\$3	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2008/08/14 15:21
L18	29	L17.clm.	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2008/08/14 15:21
L19	121	(cancel\$6 or suspend\$3 or stop \$4 or pend\$3 or interrupt\$3 or discontinu\$4 or ceas \$4) with read\$3 with print\$3 with (memory or stor\$4 or disk or (hard adj drive)) with (condition or situation or error or diagnostic)	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2008/08/14 15:21
L20	11	L19.clm.	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2008/08/14 15:21
L21	45	print\$3 with (parallel or concurren\$5 or simultaneo\$5 or instantaneous\$3 or time) with (spool\$3 or buffer\$3) with despool\$3	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2008/08/14 15:22
L22	0	L21.clm.	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2008/08/14 15:22
L23	13765	increas\$3 adj12 (speed or throughput) with print\$3	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2008/08/14 15:22

L24	196	L23.clm.	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2008/08/14 15:22
L25	17477	writ\$3 with print\$3 with (stor\$3 or memory or disk or buffer or database)	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2008/08/14 15:22
L26	1277	L25.clm.	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2008/08/14 15:22
L27	51	(monitor\$3 or supervis\$3 or (keep \$3 adj watch\$3)) with print\$3 with (associat\$3 or relat \$5 or connect\$3 or attribute or characterist\$4) with available with (stor \$4 or memory or disk or buffer)	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2008/08/14 15:22
L28	6	L27.clm.	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2008/08/14 15:22
L29	1580	read\$3 with print\$3 with (stor\$3 or memory or disk or buffer or database) with (printer or printing) with (availabl\$4 or idle or capable)	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2008/08/14 15:23
L30	157	L29.clm.	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2008/08/14 15:23

L31	193682	read\$3 with (parallel or concurrent\$3 or simultaneous\$3 or instant\$6 or time) with (memory or storage or database or disk or (hard ad drive))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2008/08/14 15:23
L32	22934	L31.clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2008/08/14 15:23
L33	370	printing with read \$3 with (parallel or concurrent\$3 or simultane\$5 or instant\$7 or time) with writ\$4 with (storage or buffer or memory or disk)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2008/08/14 15:23
L34	32	L33.clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2008/08/14 15:23
L35	30	reduc\$3 with (memory or storage or buffer) with increas\$3 with speed with printer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2008/08/14 15:24
L36	0	L35.clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2008/08/14 15:24
L37	16	(cancel\$6 or suspend\$3 or stop \$4 or pend\$3 or interrupt\$3 or discontinuu\$4 or ceas \$4) with QUANTITY with print\$3 with (memory or stor\$4 or disk or (hard ad drive)) with (predetermi\$4 or threshold)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2008/08/14 15:24

L38	2	L37.clm.	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2008/08/14 15:24
L39	0	I5 and I6	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2008/08/14 15:25
L40	0	I5 and I7	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2008/08/14 15:26
L41	4	I5 and I9	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2008/08/14 15:26
L42	0	24 and 30	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2008/08/14 15:27
L43	67	I26 and I33	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2008/08/14 15:27
L44	35	I32 and I43	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2008/08/14 15:28
L45	4	I30 and I44	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2008/08/14 15:28
L46	3	30 and 34	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2008/08/14 15:30
L47	426213	charles.in. or charles.in. or miller. in. or russel.in. or teklits.in. or larry. in.	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2008/08/14 15:31

L48	223	I25 and I47	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2008/08/14 15:31
L49	4	I33 and I48	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2008/08/14 15:31
L50	0	I37 and I48	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2008/08/14 15:33
S1	4	"5371873".pn. or "6081883".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2008/02/02 20:33
S2	4003	(queue\$4 or spool \$4) with print\$3 with job	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2008/02/02 17:26
S3	283	read\$3 with writ\$4 with (memory or storage or database) with (concurrent\$3 or PARALLEL or simultaneous\$3) WITH print\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2008/02/02 20:36
S4	13112	increas\$3 adj12 (speed or throughput) with print\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2008/02/02 17:29
S5	6	spool\$3 with despool\$3 with (concurrent\$3 or PARALLEL or simultaneous\$3) WITH print\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2008/02/02 17:33
S6	0	S1 and S4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2008/02/02 17:30

S7	0	S1 and S2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2008/02/02 17:30
S8	0	S1 and S3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2008/02/02 17:30
S9	128	S2 and S4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2008/02/02 17:33
S10	1	S3 and S9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2008/02/02 17:33
S11	3	S2 and S3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2008/02/02 17:36
S12	2464	358/1.16-1.17.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2008/02/02 17:36
S13	15	S3 and S4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2008/02/02 17:37
S14	273	S2 and (memory or storage or database) with (concurrent\$3 or PARALLEL or simultaneous\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2008/02/02 20:40
S15	2	S1 and (memory or storage or database) with (concurrent\$3 or PARALLEL or simultaneous\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2008/02/02 20:41

S16	2	S1 and (read\$3 with writ\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2008/02/02 22:57
S17	2	"6791790".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2008/02/02 22:58
S18	2	"5791790".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2008/02/02 22:58
S19	325	read\$3 with writ\$4 with (memory or storage or database or disk or (hard adj drive)) with (concurrent\$3 or PARALLEL or simultaneous\$3) WITH print\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2008/08/14 11:08
S20	3	suspend\$3 with read \$3 with print\$3 with (memory or stor\$4 or disk or (hard adj drive)) with (condition or situation or error or diagnostic)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2008/08/14 11:11
S21	370	read\$3 with writ\$4 with (memory or storage or buffer or database or disk or (hard adj drive)) with (concurrent\$3 or PARALLEL or simultaneous\$3) WITH print\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2008/08/14 11:16

S22	121	(cancel\$6 or suspend\$3 or stop \$4 or pend\$3 or interrupt\$3 or discontinu\$4 or ceas \$4) with read\$3 with print\$3 with (memory or stor\$4 or disk or (hard adj drive)) with (condition or situation or error or diagnostic)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2008/08/14 11:21
S23	45	print\$3 with (parallel or concurr\$5 or simultaneo\$5 or instantaneous\$3 or time) with (spool\$3 or buffer\$3) with despool\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2008/08/14 11:27
S24	4	"5371873".pn. or "6081883".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2008/08/14 12:05
S25	0	S22 and S24	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2008/08/14 12:08
S26	0	S21 and S24	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2008/08/14 12:08
S27	13765	increas\$3 adj12 (speed or throughput) with print\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2008/08/14 12:08
S28	17477	writ\$3 with print\$3 with (stor\$3 or memory or disk or buffer or database)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2008/08/14 12:10

S29	51	(monitor\$3 or supervis\$3 or (keep \$3 adj watch\$3)) with print\$3 with (associat\$3 or relat \$5 or connect\$3 or attribute or characterist\$4) with available with (stor \$4 or memory or disk or buffer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2008/08/14 12:26
S30	1580	read\$3 with print\$3 with (stor\$3 or memory or disk or buffer or database) with (printer or printing) with (availabl\$4 or idle or capable)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2008/08/14 12:29
S31	193682	read\$3 with (parallel or concurrent\$3 or simultaneous\$3 or instant\$6 or time) with (memory or storage or database or disk or (hard adj drive))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2008/08/14 12:32
S32	370	printing with read \$3 with (parallel or concurrent\$3 or simultane\$5 or instant\$7 or time) with writ\$4 with (storage or buffer or memory or disk)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2008/08/14 12:36
S33	30	reduc\$3 with (memory or storage or buffer) with increas\$3 with speed with printer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2008/08/14 12:38
S34	4	S31 and S33	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2008/08/14 12:38
S35	2	generat\$3 WITH MESSAGE WITH PRINT WITH JOB WITH PENDING	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2008/08/14 12:42

S36	16	(cancel\$6 or suspend\$3 or stop \$4 or pend\$3 or interrupt\$3 or discontinu\$4 or ceas \$4) with QUANTITY with print\$3 with (memory or stor\$4 or disk or (hard adj drive)) with (predetermi\$4 or threshold)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2008/08/14 12:47
S37	0	read\$3 with print\$3 with excee\$3 with writ\$4 with count\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2008/08/14 12:49
S38	0	read\$3 same print \$3 same excee\$3 same writ\$4 same count\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2008/08/14 12:50
S39	8	S21 and S22	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2008/08/14 12:51
S40	0	S22 and S23	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2008/08/14 12:51
S41	4	S22 and S27	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2008/08/14 12:52
S42	714	S27 and S28	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2008/08/14 12:54
S43	0	S29 and S42	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2008/08/14 12:54

S44	23	S32 and S42	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2008/08/14 12:54
S45	0	S22 and S44	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2008/08/14 12:57
S46	544	S30 and S31	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2008/08/14 12:57
S47	36	S32 and S46	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2008/08/14 12:58

8/ 14/ 2008 3:38:37 PM

C:\Documents and Settings\ggarcia\My Documents\EAST\Workspaces\09550219.wsp